



POLYCOM[®]

Release Notes

Polycom Communicator Software Version 2.1 for Skype[™]

17 September 2007

Polycom Inc.

3553 North First Street, San Jose, CA, USA

www.polycom.com

This document is the property of Polycom, Inc. Any duplication, reproduction, or transmission of this document, or any of its contents, to unauthorized parties without prior written permission of Polycom, is prohibited.

Table of Contents

1. GENERAL..... 2

2. SOFTWARE INSTALLATION AND SET UP 2

3. SOFTWARE FEATURES 3

4. ENHANCEMENTS IN THIS RELEASE..... 3

1. General

These release notes apply to the Polycom Communicator software version 2.1 for Skype™. This software is designed to work with and optimize the operation of the Polycom Communicator C100S speakerphone when used with the Skype™ desktop video software application.

Polycom Communicator 2.1 for Skype™ software supports installation on and operation only with Windows® XP. Skype™ client software version 2.0 or greater is required.

The installer creates a Polycom Communicator C100S shortcut in the startup group; after restarting computer, the Polycom Communicator C100S will start automatically.

2. Software Installation and Set Up


The installation package provides a full installation on a PC with no prior Polycom Communicator software. The installer will replace any existing Communicator software with version 2.1. There is no need to uninstall existing software first.

The installer installs the Communicator application and required drivers. It transfers the Firmware Upgrade.exe installer file into the appropriate folder structure for future use (but does not install it).

The Communicator version 2.1 for Skype™ software works with Communicator C100S hardware with firmware version 1.01 (all Communicator C100S devices shipped to date have this firmware).

To install the software, run (double-click) the installer .exe file after downloading it from the Polycom web site. Follow any instructions in the installer.

The dialog box at the right appears after starting the Polycom Communicator for the first time and launching Skype using Launch key of the Polycom Communicator or double clicking on the Polycom Communicator shortcut icon on the desktop.



Please choose “Allow this program to use Skype” option and click OK.

3. Software Features

When used with the Skype™ software application, the features listed in Table 1 are supported by the Communicator 2.1 for Skype™ software.

Table 1. Polycom Communicator Feature Matrix

<u>Polycom Communicator Features</u>
1. Volume Up – To increase speaker volume
2. Volume Down – To decrease speaker volume
3. Mute – To mute microphones
4. Launch – To launch Skype™
5. Answer button – To answer incoming call
6. Answer button – To end an active call
7. Blinking Green LED – Alerting for an incoming call or while making an outgoing call
8. Solid Green LED – Call is in progress
9. Solid Red LED – Microphones are muted
10. Blinking Red LED – Call is on Hold
11. Polycom Communicator will wake up from Standby mode in case of incoming call
12. Polycom Communicator User Interface application allowing users to access diagnostic tools (to verify the operation of Speaker, Microphone, Keypad and LEDs) and information.

4. Enhancements in this release

Compared with the Communicator 2.0 software, this version includes the following enhancements:

1. Communicator software now supports the following operating system environments:
 - Microsoft® Windows® XP Media Center Edition
 - Windows® XP operating systems on Sony VAIO® computers.
2. When adjusting the volume upwards or downwards the Communicator device beeps once when the maximum or minimum volume level is reached.
3. Polycom Communicator pops up a warning message box if it is not set to default device.